What to expect FROM TREATMENT





For most people, downtime with KYBELLA® occurred most commonly after the first treatment session



The most common side effects are swelling, bruising, pain, numbness, redness, and areas of hardness in the treatment area. These are not all the side effects of KYBELLA®. Please see Important Safety Information on the reverse side. Talk to your doctor if you develop an asymmetric smile, facial muscle weakness, difficulty swallowing, or if any existing symptom worsens



Apply ice or a cold pack to the treatment area for 10 to 15 minutes, as needed




Talk to your healthcare provider if you have questions or concerns about managing side effects


ACTUAL RESULTS WITH KYBELLA®




AFTER 1 TREATMENT



AFTER 2 TREATMENTS



AFTER 3 TREATMENTS



Unretouched photos taken before the first treatment and after the first, second, and third treatment sessions. Sex: F Age: 35 Weight (before/after): 142.5 lbs/143 lbs Total mLs (all treatment sessions): 12

Individual results may vary.

Your healthcare provider will help you determine how many treatment sessions you need based on the amount and distribution of your submental fat and your personal treatment goals. Up to 6 treatments may be administered, spaced no less than 1 month apart. 59% of people treated with KYBELLA® in clinical studies received 6 treatments.

My next APPOINTMENT

DAY

TIME

PRIOR TO YOUR NEXT TREATMENT, ASK YOUR HEALTHCARE PROVIDER IF THERE ARE ANY SPECIAL INSTRUCTIONS YOU SHOULD FOLLOW TO PREPARE FOR THE APPOINTMENT.

Important Safety Information

What is KYBELLA®?

KYBELLA® is a prescription medicine used in adults to improve the appearance and profile of moderate to severe fat below the chin (submental fat), also called "double chin."

It is not known if KYBELLA® is safe and effective for use outside of the submental area and in children less than 18 years of age.

Who should not receive KYBELLA®?

You should not receive KYBELLA® if you have an infection in the treatment area.

Please see additional Important Safety Information on reverse side.

Important Safety Information (continued)

Before receiving KYBELLA®, tell your healthcare provider about all of your medical conditions, including if you: Have had or plan to have surgery on your face, neck, or chin; have had cosmetic treatments on your face, neck, or chin; have had or have medical conditions in or near the neck area; have had or have trouble swallowing; have bleeding problems; are pregnant or plan to become pregnant (it is not known if KYBELLA® will harm your unborn baby); are breastfeeding or plan to breastfeed (it is not known if KYBELLA® passes into your breast milk; talk to your healthcare provider about the best way to feed your baby if you receive KYBELLA®).

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Especially tell your healthcare provider if you take a medicine that prevents the clotting of your blood (antiplatelet or anticoagulant medicine).

What are the possible side effects of KYBELLA®?

KYBELLA® can cause serious side effects, including nerve injury in the jaw (which can cause an uneven smile or facial muscle weakness) and trouble swallowing.

The most common side effects of KYBELLA® include: swelling, bruising, pain, numbness, redness, and areas of hardness in the treatment area.

These are not all of the possible side effects of KYBELLA®. Call your healthcare provider for medical advice about side effects.

Ask your healthcare provider or visit MyKybella.com for full prescribing information.



